

SECTION 1: IDENTIFICATION

Product Name: PermaSease® 30-30
Description: Insecticide
EPA Reg. No.: 86291-2-96263

Company Identification:

ADAPCO, LLC

100 Colonial Center Pkwy
Suite 170
Lake Mary, FL 32746

Emergency Response Telephone Numbers

For Spills Call: 1-(800)-424-9300
For Medical Emergencies Call: 1-(866)-897-8050

SECTION 2: HAZARD IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200



WARNING

Harmful if swallowed, inhaled or absorbed through the skin.
Causes moderate eye irritation.
May cause moderate skin irritation with prolonged or repeated contact.
May cause allergic skin reactions

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENTS:

(% w/w)

Permethrin (CAS Reg. No. 52645-53-1)	
(3-phenoxyphenyl) methyl (±) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropane carboxylate ¹	30.0%
Piperonyl Butoxide (CAS Reg. No. 51-03-6)	
Equivalent to 80% (butylcarbityl)(6-propylpiperonyl) ether	30.0%
And 20% related compounds	
Inert Ingredients ²	40.0%

¹ cis/trans ratio: minimum 35% (±) cis and maximum 65% trans

² Petroleum distillate solvent (CAS No. 64741-89-5).

MATERIAL:

OSHA PEL

ACGIH TLV

Active Ingredients:	Permethrin	Not established	Not established
	Piperonyl Butoxide	Not established	Not established
* Inert Ingredient:	Petroleum Distillate	5 mg/m ³ (oil mist)	5 mg/m ³ (oil mist)

SECTION 4: FIRST AID MEASURES

FIRST AID	
If swallowed	• Call a poison control center or doctor immediately for treatment advice. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.
If in eyes	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If inhaled	• Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. • Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hotline Number: You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.	

Note to Physician: Contains petroleum distillate-vomiting may cause aspiration hazard.

SECTION 5: FIRE-FIGHTING MEASURES

Flash Point:	> 230 F (110° C)
Method Used:	TCC
Extinguishing Media:	Foam, CO ₂ , or dry chemical is preferred. Soft stream water fog only if necessary
Fire & Explosion Precautions:	Foam fire-extinguishing system is preferred because uncontrolled water can spread possible contamination. Do not allow fire-fighting water to escape into waterways or sewers. Toxic irritating gases can be formed.
Fire-Fighting Equipment:	Use positive-pressure self-contained breathing apparatus and full protective equipment.

Hazardous Decomposition:

Under fire conditions hydrogen chloride, oxides of chlorine, carbon dioxide, carbon monoxide, and asphyxiants can be formed.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILLS OR LEAKS: Wear protective clothing as described in Section 7: Handling and Storage of this MSDS. Absorb liquid with material such as clay, sand, sawdust, or dirt. Sweep up and place in a suitable container for disposal and label the contents. Area can be washed down with a suitable solution of bleach or soda ash and an appropriate alcohol (methanol, ethanol, or isopropanol). Follow this by washing with a strong soap and water solution. Absorb any excess liquid as indicated above, and add to the disposal container. Keep product, contaminated materials and wash water out of streams and sewers. Wash exposed body areas thoroughly after handling.

SECTION 7: HANDLING AND STORAGE

Keep out of reach of children. Do not contaminate water, food or feed by storage or disposal. Do not use, pour, spill or store near heat or open flame.

SKIN PROTECTION: While using or handling this product wear long sleeved shirt and long pants, socks, and shoes. Contaminated leather articles, such as shoes, belts, and watchbands, should be removed and destroyed. Launder all work clothing before reuse. Keep work clothing separated from household laundry.

SPECIAL PRECAUTIONS FOR HANDLING AND STORAGE: See product label. Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash clothing before reuse. Store product in its original labeled container in a cool, dry, locked place designated for such insecticides and out of reach of children. In case of spillage, soak up with absorbent material such as sawdust, or fullers earth; sweep up and place in a labeled container and dispose of as follows.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE GUIDELINE(S):

Permethrin	None established.
Piperonyl Butoxide	None established
Petroleum Distillate	5 mg/m ³ (oil mist).

VENTILATION: Provide general and/or local exhaust ventilation to control airborne levels below the exposure guideline. Ventilate all transport vehicles prior to unloading.

RESPIRATORY PROTECTION: Atmospheric levels should be maintained below the exposure guideline. For most conditions, no respiratory protection should be needed; however, if the exposure guideline is exceeded, use an air-purifying respirator approved for pesticides (U.S. NIOSH/MSHA, EU CEN, or comparable certification organization).

EYE/FACE PROTECTION: Use chemical protective goggles or a face shield.

SKIN PROTECTION: While using or handling this product wear long sleeved shirt and long pants, socks, and shoes. Contaminated leather articles, such as shoes, belts, and watchbands, should be removed and destroyed. Launder all work clothing before reuse. Keep work clothing separated from household laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Color:	Yellow, Gardner 3
Physical State:	Liquid
Odor:	Faint chemical odor
Density:	0.992 g/cc @ 25° C
Solubility:	Does not disperse in water.
Viscosity:	30.17 cps @ 25° C
pH:	3.74 (1% dispersion)
Stability:	Stable

SECTION 10: STABILITY AND REACTIVITY

Stability:	(CONDITIONS TO AVOID) Avoid heating above 230° F (110° C). Contains a petroleum distillate solvent which can burn.
Incompatibility:	(SPECIFIC MATERIALS TO AVOID) Strong Oxidizers.
Hazardous Decomposition:	Under fire conditions hydrogen chloride, oxides of chlorine, carbon dioxide, carbon monoxide, and asphyxiants can be formed.
Hazardous Polymerization:	Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

SKIN ABSORPTION: The acute dermal toxicity is considered to be low. The dermal LD₅₀ for rabbits is greater than 2000 mg/kg.

INGESTION: The acute oral toxicity is considered to be low. The oral LD₅₀ for rats is greater than 1000 mg/kg. Small amounts that might be swallowed incidental to normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause serious injury, even death. If aspirated (liquid enters the lungs), may cause lung damage or even death due to chemical pneumonia.

INHALATION: The acute inhalation toxicity is considered to be low. The inhalation LC_{50} for rats is greater than 4 mg/l for 4 hours. Symptoms of excessive exposure includes squinting eyes, irregular and rattled breathing, ataxia, headache, dizziness, anesthesia, drowsiness, unconsciousness, and other central nervous system effects.

SYSTEMIC (OTHER TARGET ORGAN) EFFECTS: Excessive exposure may produce effects on the nervous system such as sensitivity to touch and sound, tremors, abnormal movement, and clonic convulsions. Long-term studies with permethrin in laboratory animal resulted in increased liver and kidney weights, induction of the liver microsomal drug metabolizing enzyme system, and histopathological changes in the lungs and liver. Long-term studies with piperonyl butoxide indicated increased organ weights in the liver, kidney, and adrenal glands.

CANCER INFORMATION: Chronic feeding studies with permethrin in mice and rats indicate limited evidence of oncogenicity in laboratory animals. Based on comprehensive evaluations of all relevant health effects data, it was concluded that the oncogenic potential in humans is extremely weak or nonexistent. A chronic feeding study in mice indicate an increased incidence of benign liver tumors; the significance of these findings is questionable and under review. The doses that produced this oncogenic effect in laboratory animals, greatly exceeds human exposure levels for the recommended use of this product.

TERATOLOGY (BIRTH DEFECTS): The active ingredients in this product did not cause birth defects in laboratory animal studies. Exposures having no effect on the mothers had no effect on the fetuses in rabbits and rats. The no-effect levels for permethrin in rabbits and rats were 600 mg/kg and 50 mg/kg, respectively. The no-effect levels for piperonyl butoxide in rabbits and rats were 200 mg/kg and 1000 mg/kg, respectively.

REPRODUCTIVE EFFECTS: Permethrin and piperonyl butoxide did not interfere with fertility in animal reproduction studies. The no effect level for permethrin in a two-generation rat reproduction study was 180 mg/kg. The no-effect level for piperonyl butoxide in a two-generation rat reproduction study was 350 mg/kg.

MUTAGENICITY (EFFECTS ON GENETIC MATERIAL): Based on a number of *in vivo* and *in vitro* studies, it was concluded that the active ingredients in this product are not mutagenic.

SECTION 12: ECOLOGICAL INFORMATION

PHYSICAL ENVIRONMENTAL PROPERTIES: In soil, permethrin is stable over a wide range of pH values. Due to its high affinity for organic matter, ($K_{oc} = 86,000$), there is little potential for movement in soil or entry into ground water. Permethrin has a Log P_{OW} of 6.1, but a low potential to bioconcentrate ($BCF = 500$) due to the ease with which it is metabolized. Piperonyl butoxide is reported to have a maximum half-life of 4.3 days in soil and from 0.55 to 1.64 days in aqueous environments. Gravitational settling remove piperonyl butoxide released in the atmosphere as an aerosol. Gaseous piperonyl butoxide degrades in the atmosphere with an estimated half-life of 3.4 hours. It is reported that piperonyl butoxide has a low potential for environmental bioconcentration.

ENVIRONMENTAL TOXICOLOGY: Permethrin is highly toxic to fish ($LC_{50} = 0.5 \mu\text{g/L}$ to $315 \mu\text{g/L}$) and aquatic invertebrates ($LC_{50} = 0.02 \mu\text{g/L}$ to $7.6 \mu\text{g/L}$). Marine species are often more sensitive than the freshwater species. Bacteria, algae, mollusks, and amphibians are much more tolerant of permethrin than the fish and arthropods. Care should be taken to avoid contamination of the aquatic environment. Permethrin is slightly toxic to birds and oral LD_{50} values are greater than $3,600 \text{ mg/kg}$. Longer dietary studies showed that concentrations of up to 500 ppm in the diet had no effect on bird reproduction. Piperonyl butoxide is acutely toxic to fish ($LC_{50} = 3.94 \text{ mg/L}$ to 6.12 mg/L) and highly toxic to aquatic invertebrates ($LC_{50} 0.23 \text{ mg/L}$ to 0.51 mg/L). Care should be taken to avoid contamination of aquatic environments. Piperonyl butoxide has a low to very low toxicity to birds with an acute oral LD_{50} greater than $2,250 \text{ mg/kg}$ and longer-term dietary studies at LC_{50} values greater than $5,620 \text{ ppm}$.

SECTION 13: DISPOSAL CONSIDERATIONS

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling is not available then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Triple rinse (or equivalent) promptly after emptying. Triple rinse as follows:

For Containers equal to or less than 5 Gallons: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $1/4$ full with mineral oil and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

For Containers greater than 5 Gallons: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container $1/4$ full with mineral oil. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip back and forth several times. Turn the container over on its other end and tip back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

For Bulk Containers: (Refillable Container) Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller.

To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with mineral oil. Agitate

vigorously or recirculate mineral oil with pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing process two more times.

SECTION 14: TRANSPORTATION INFORMATION

U.S. SURFACE FREIGHT CLASS: Insecticide, NOI, other than Poison. NMFC Item 102120.

MARINE POLLUTANT #1: permethrin (Severe Marine Pollutant).

OTHER SHIPPING INFORMATION: This product is not regulated for transport in the USA when shipped via highway or railroad in non-bulk packages. Describe using the "U.S. Surface Freight Class" above, which applies in all cases.

SPECIAL NOTE: The following applies to water and air shipments, and shipments in bulk packages:

PROPER SHIPPING NAME: Environmentally hazardous substance, liquid, n.o.s. (permethrin)

HAZARD CLASS OR DIVISION: 9

IDENTIFICATION NUMBER: UN 3082

PACKING GROUP: III

OTHER: NAERG Guide 171

SECTION 15: REGULATORY INFORMATION

FIFRA INFORMATION:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for the workplace labels of non-pesticide chemicals. The following is the hazard information as required on the pesticide label:

CAUTION: Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. While using or handling this product wear long sleeved shirt and long pants, socks, and shoes. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Remove contaminated clothing and wash clothing before reuse.

SARA 313 INFORMATION: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

ADAPCO, LLC

PERMASEASE® 30-30

SAFETY DATA SHEET

CHEMICAL NAME	CAS NUMBER	CONCENTRATION
Permethrin	52645-53-1	30.0%
Piperonyl Butoxide	51-03-5	30.0%

SARA HAZARD CATEGORY: This product has been reviewed according to the EPA "Hazard Categories" promulgated under Sections 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

An immediate health hazard
A delayed health hazard

TOXIC SUBSTANCES CONTROL ACT (TSCA): All ingredients are on the TSCA inventory or are not required to be listed on the TSCA inventory.

OSHA HAZARD COMMUNICATION STANDARD: This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

NATIONAL FIRE PROTECTION ASSOCIATION (NFPA) RATINGS:

Category	Rating
Health	1
Flammability	1
Reactivity	0

COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY ACT (CERCLA, or SUPERFUND): This product contains the following substance(s) listed as "Hazardous Substances" under CERCLA which may require reporting of releases:

Category:

Chemical Name	CAS Number	RQ	% in Product
Permethrin	52645-53-1	not listed	30.0%
Piperonyl Butoxide	51-03-6	not listed	30.0%
Petroleum Distillate	64741-89-5	not listed	40.0%

SECTION 16: OTHER INFORMATION

SDS Date: 2021-09-20

This document is prepared pursuant to the OSHA Hazard Communication Standard (HCS) (29 CFR 1910.1200(g)), revised in 2012. In addition, other substances not "Hazardous" per this OSHA Standard may be listed. Where proprietary ingredient shows, the identity may be made available as provided in this standard.

NOTICE: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, expressed or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state, and local laws and regulations. See SDS for health and safety information.